



WarmMist Humidifier

USE AND CARE MANUAL



- ♥ No filters required
- ♥ Auto shut-off
- ♥ 2 settings for ideal comfort

This humidifier adds water vapor to the surrounding air. If you have any questions about the operation of your Vicks WarmMist Humidifier, call our toll-free Consumer Relations line at 1-800-VAPOR-1-2 or contact us at www.VicksHumidifiers.com/contact-us

IMPORTANT!


READ AND SAVE THESE INSTRUCTIONS

V745 Series

Important Safety Instructions

READ AND SAVE THESE IMPORTANT SAFETY INSTRUCTIONS BEFORE USING THIS APPLIANCE

WHEN USING ELECTRICAL APPLIANCES, BASIC PRECAUTIONS SHOULD ALWAYS BE FOLLOWED TO REDUCE THE RISK OF FIRE, ELECTRICAL SHOCK AND INJURY TO PERSONS, INCLUDING THE FOLLOWING:

1. The appliance should **ALWAYS** be placed on a firm, flat, waterproof surface at least four feet away from bedside, twelve inches from the wall and out of reach of children and pets. Be sure the appliance is in a stable position and the power cord is away from heated surfaces and out of the way to prevent the humidifier from being tipped over.
2. **DO NOT** leave the appliance unattended in a closed room since air could become saturated and could result in personal injury or property damage. Leave room door partly open.
3. Before using the appliance, extend the cord and inspect for any signs of damage. **DO NOT** use the unit if the cord has been damaged.
4. The appliance has a polarized plug (one blade is wider than the other) as a safety feature. This plug will fit into a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. **DO NOT** attempt to defeat this safety feature.
5. To avoid fire or shock hazard, plug the appliance directly into a 120V AC electrical outlet.
6. The appliance should **ALWAYS** be unplugged and emptied when not in operation or while being cleaned. Shut off and unplug humidifier before moving. **DO NOT** move or tilt humidifier while it is in operation. Plug and unplug unit with dry hands. **NEVER** pull by cord.
7. **DO NOT** operate the appliance without water. Turn off and unplug unit when tank is empty.
8.  **CAUTION:** To avoid the risk of fire, shock or personal injury, **DO NOT** use an extension cord.
9. Appliance requires regular cleaning. Refer to and follow cleaning instructions.
10. **DO NOT** operate outdoors; this appliance is intended for indoor use.
11. **DO NOT** cover or insert objects into any openings on the unit.
12. **DO NOT** attempt to repair or adjust any electrical or mechanical functions on this appliance. Doing so will void your warranty.
13. For residential use only.
14. **DO NOT** add any essential oils or medications (Vicks VapoSteam) into Nozzle, Base, Reservoir or Water Tank.
15. **DO NOT** touch the steam vapor. Steam can cause burns. **DO NOT** operate without the Medicine Cup in place on top of the Cooling Chamber.
16. When moving or lifting the Tank, use one hand on the Top Tank Handle and the other on the Bottom Tank Handle.


SAVE THESE INSTRUCTIONS

Vicks Warm Mist Humidifier

Model V745 Series

How it Works:

The Vicks Warm Mist Humidifier is designed to quietly provide visible warm moisture. The tank feeds water into the boiling chamber where it is heated to a steam vapor. The steam vapor mixes with dry air in the mist chimney. The warm moist air is released in the room.



Using Your Vicks Warm Mist Humidifier

First Time Use


Read all instructions before using this appliance. With proper care and maintenance, the humidifier should be able to provide at least 12 hours of operation for each tank.


Unpack and remove all packing material from the Water Tank and Base. Completely unravel power cord and place unit on a flat, stable surface at least 12 inches away from walls and heat sources. **DO NOT** use product if cord has been damaged. Place cord out of the way where it cannot be pulled or stepped on. Follow the directions below to fill and operate the Humidifier.

Filling the Water Tank

ALWAYS unplug the humidifier before filling.

1. Remove the Water Tank from the Base and turn it upside down. Turn the Tank Cap counterclockwise to open.
2. Fill the Water Tank with clean, cool, tap water and replace the Tank Cap by firmly turning clockwise. Turn the tank upright and check Tank Cap for leaks. If any water drips from Tank Cap, remove it and re-tighten.
3. Carry Water Tank using one hand on the top handle and one on the bottom of the Tank.
4. Be sure the Removable Water Tray and Cooling Chamber are in place and the Cooling Chamber Interlock is engaged.
5. Replace the Water Tank on the Base by aligning the Tank Cap into the Water Tray.

 **CAUTION: DO NOT** add any essential oils, medication, or other additives to the water. **DO NOT** pour any water into the cooling chamber.

 **WARNING: KEEP OUT OF REACH OF CHILDREN.** This product produces HOT STEAM and should be placed in an area not accessible to children or pets with the power cord also securely out of reach.

Operating Instructions

1. **DO NOT** operate the humidifier without water in the Water Tank or without the Removable Water Tray, Cooling Chamber and Medicine Cup installed.
2. After filling the humidifier, be sure the Power Switch is in the OFF position, then plug the power cord into a 120 volt AC wall outlet. **DO NOT PLUG IN THE CORD WITH WET HANDS; ELECTRIC SHOCK COULD RESULT.**
3. You can use Vicks VapoSteam with your Vicks Warm Mist Humidifier. For more information, read the “Using Liquid Inhalant” section.
4. Turn the Switch to either the Hi or Low position. The Night Light will illuminate and the heater will start. It may take several minutes before mist will appear at the outlet.
5. Direct Outlet away from walls and furniture. If condensation forms on walls or windows, or if indoor relative humidity exceeds 60%, turn the Switch to the low setting, open door to room where humidifier is operating, or turn unit off.
6. Turn the humidifier off before removing and refilling the Water Tank.

Reset Procedure

NOTE: When the water tank is empty and the water in the Heating Chamber is almost used up, the Heater will automatically shut off. The Reset Light will illuminate to indicate that the humidifier is out of water. The humidifier will not operate until the water tank is refilled and the humidifier is reset.

1. Turn the Power Switch to the Off position. Unplug the humidifier. Allow the humidifier to fully cool for at least 15 minutes.
2. Remove and refill the Water Tank as instructed in the “Filling The Water Tank” section.
3. After filling the humidifier, plug the power cord into a 120 volt AC wall outlet. **DO NOT PLUG IN THE CORD WITH WET HANDS; ELECTRIC SHOCK COULD RESULT.**
4. The Reset Light should now be off. Some models have a Reset Button. Push the Reset Button on those models to re-engage the heater.
5. Turn the Switch to either the Hi or Low position. The Night Light will illuminate and the heater will start. It might take several minutes before mist will appear at the outlet.

Using Liquid Inhalant (Optional)

Liquid Inhalants such as Vicks VapoSteam can be used in the medicine cup. ONLY USE LIQUIDS THAT ARE RECOMMENDED FOR THIS TYPE OF HUMIDIFIER.

Liquid Inhalant



1. Add 1 tbs (Table Spoon) of inhalant to the medicine cup.
2. Note: Some residue from inhalant may be left in medicine cup after use. With the humidifier turned off, unplugged and cooled for at least 20 minutes, gently wipe residue from medicine cup.
3. **DO NOT ADD LIQUID INHALANTS OR ANY ADDITIVES OTHER THAN THOSE RECOMMENDED BY THE HUMIDIFIER MANUFACTURER TO THE WATER. DOING SO CAN HAVE ADVERSE EFFECTS ON THE HUMIDIFIER.**

Weekly Care and Cleaning

⚠ CAUTION: ALWAYS TURN OFF THE POWER SWITCH AND DISCONNECT THE POWER CORD FROM THE ELECTRICAL OUTLET BEFORE CLEANING.

Humidifiers provide comfort by adding moisture to dry indoor air. For maximized benefit from your Vicks Warm Mist Humidifier, follow instructions carefully. Please note that this is an electric appliance and requires careful attention when in use.

Tap water may contain minerals (scale) that can deposit on the inner surfaces of the Humidifier and adhere to the Heater. Such scale can impair the performance of the Heater.

Daily Maintenance

1. Turn switch to off (O) position and unplug the cord from wall outlet.
2. Be sure the unit has cooled for at least 20 minutes, then lift the Water Tank from Base. Remove the Tank Cap and drain any water from the Water Tank. Rinse the Water Tank with lukewarm water after each use. Wipe accessible surfaces of the Water Tank clean with a soft, damp cloth.
3. Remove the Medicine Cup from the Cooling Chamber. Using the Cooling Chamber Interlock, release the Cooling Chamber from the Base. Carefully remove the Cooling Chamber and Removable Water Tray from the base. Wipe the Medicine Cup, Cooling Chamber and Removable Water Tray clean with a soft, damp cloth.
4. Be sure the heater is completely cool and then wipe the Heater and Heating Chamber clean with a soft, damp cloth.
5. **DO NOT** leave water in the Water Tank or Heating Chamber when unit is not in use as it may result in the build up of mineral deposits and bacteria that can inhibit the output efficiency of the humidifier.
6. **DO NOT** immerse the Base in water. For storage, wipe dry with a soft, clean cloth.
7. Replace Removable Water Tray, Cooling Chamber, Medicine Cup then the Tank. Humidifier is now ready for use.

Weekly Care and Cleaning

(continued from pg 6)

NOTE: All maintenance should be done in the kitchen or bathroom on a water resistant surface.

To properly clean your humidifier we recommend the process of scale removal and disinfecting shown on pages 7 and 8 of this manual. These steps must be performed separately.

DISHWASHER SAFE: The following parts are TOP RACK dishwasher safe for residential dishwashers operating at temperatures below 70°C/158°F.



Medicine Cup



Removable Tray



Mist Chimney

Run the dishwasher on the light duty or normal cycle.


Do not wash with soiled articles/dishes. **DO NOT USE DETERGENTS.**

If you use your dishwasher you will not need to follow the disinfecting and scaling procedure.

NOTE: DO NOT place parts on lower rack of dishwasher. Doing so could cause damage to the humidifier parts and dishwasher.

THE MAIN HOUSING AND WATER TANK ARE NOT DISHWASHER SAFE.

Placing these parts in the dishwasher will damage your humidifier and render it unable to operate properly.



Weekly Maintenance

⚠ CAUTION: ALWAYS TURN OFF THE POWER SWITCH AND DISCONNECT THE POWER CORD FROM THE ELECTRICAL OUTLET BEFORE CLEANING.

If the humidifier has recently been in use, wait 20-30 minutes for unit to cool before beginning cleaning process.

Removing Scale

1. Turn switch to the OFF (0) position and unplug the cord from wall outlet.
2. Remove the Water Tank and empty any remaining water from the Water Tank.
3. Remove the Medicine Cup from the Cooling Chamber. Using the Cooling Chamber Interlock, release the Cooling Chamber from the Base. Carefully remove the Cooling Chamber and Removable Water Tray from the base.
4. Fill Water Tank and Heating Chamber with 1 cup of vinegar and let soak for 20 minutes. With a soft brush, gently scrub the heating element to remove mineral deposits. **DO NOT USE HARD BRUSHES, STEEL WOOL OR OTHER HARD ABRASIVES ON THE HEATING ELEMENT. DOING SO WILL DAMAGE THE HEATING ELEMENT.**
5. Dampen soft, clean cloth or sponge with undiluted white vinegar and wipe out Cooling Chamber, Medicine Cup and Removable Tray. **DO NOT** use soap, detergents or abrasive cleaners.
6. Rinse the Tank, Base, Cooling Chamber, Removable Tray and Medicine Cup with water until the smell of vinegar is gone. **CAUTION: DO NOT IMMERSE BASE IN WATER.**

Disinfecting the Removable Water Tray and Tank

1. Mix a gallon of water with 1 teaspoon of bleach. Pour bleach solution into Water Tank and Heating Chamber. Replace the tank cap and gently swish solution in tank. Let stand for twenty (20) minutes. Drain and rinse with clean water until the bleach smell is gone. Dry with a clean cloth or paper towel.
2. Wipe the Removable Water Tray with a soft cloth dampened in the bleach and water solution. Rinse the Removable Water Tray thoroughly before proceeding. The Water Tray may also be disinfected using the dishwasher on its top shelf.
3. Wipe all exterior surfaces of the Base with a soft, dry cloth. **DO NOT** immerse the Base in water. An electric shock may result or the humidifier may be damaged.

NOTE: Please be careful of clothing, rugs and other non bleach resistant materials when disinfecting. Spilling bleach on clothing, rugs and certain surfaces may cause damage.

NOTE: Using more than 1 teaspoon of bleach per gallon (3.8 L) of water will result in damage to your humidifier.

End of Season Maintenance

1. Follow weekly cleaning procedure at the end of the humidification season, or when the humidifier will not be used for several days, being sure to dry all parts. Allow the Water Tank to air dry before storing. **DO NOT** store with water inside.
2. Leave Tank Cap partially loosened during storage to prevent Tank Cap and Gasket from sticking together. This will prolong the life of the gasket.
3. Store in a cool dry location.

Electrical Ratings

The Vicks V745 Series model is rated at 120V, 60 Hz.

NOTE: IF YOU EXPERIENCE A PROBLEM, PLEASE CONTACT CONSUMER RELATIONS FIRST OR SEE YOUR WARRANTY. DO NOT RETURN THE HUMIDIFIER TO THE ORIGINAL PLACE OF PURCHASE. DO NOT ATTEMPT TO OPEN THE MOTOR HOUSING OR TAMPER WITH INTERLOCK SWITCH YOURSELF. DOING SO MAY VOID YOUR WARRANTY AND CAUSE PERSONAL INJURY OR DAMAGE TO PROPERTY.

Consumer Relations

Call us toll-free at: 1-800-827-6712

Contact us at: www.VicksHumidifiers.com/contact-us

Or visit our website at: www.VicksHumidifiers.com

TO ORDER REPLACEMENT PARTS CONTACT CONSUMER RELATIONS.

Please be sure to specify model number V745 Series.

Troubleshooting

If your Humidifier is not working properly, refer to the following:

Problem	Possible Cause	Solution
<ul style="list-style-type: none">• Power Switch is set to “On” and Power Indicator is off	<ul style="list-style-type: none">• Unit not plugged in• No power at outlet	<ul style="list-style-type: none">• Plug unit in• Check circuits, fuses, test outlet
<ul style="list-style-type: none">• Little or no mist is produced	<ul style="list-style-type: none">• No water in tank• Unit is not level• Mineral deposits on Heater or Removable Water Tray• Water Tank was washed with detergent	<ul style="list-style-type: none">• Fill Water Tank• Place on a level surface• Clean Heater and Removable Water Tray• Rinse thoroughly with clean water
<ul style="list-style-type: none">• Reset Light illuminated	<ul style="list-style-type: none">• Water Tank is empty• Unit not reset after refill	<ul style="list-style-type: none">• Refill Water Tank• Follow Reset Procedure
<ul style="list-style-type: none">• Water overflows from Reservoir	<ul style="list-style-type: none">• Tank may be leaking• Tank Cap is not tight	<ul style="list-style-type: none">• Check the Tank for leaks and replace if necessary• Tighten Tank Cap
<ul style="list-style-type: none">• Condensation forms around humidifier or windows	<ul style="list-style-type: none">• Mist Intensity is set too high for room size or pre-existing humidity level	<ul style="list-style-type: none">• Turn off unit or decrease mist output to low or open door to the room

NOTE: Failure to keep this unit clean from mineral deposits normally contained in any water supply will affect the efficiency of operation of this unit. Customer failure to follow these instructions may void the warranty.

2 Year Limited Warranty

YOU SHOULD FIRST READ ALL INSTRUCTIONS BEFORE ATTEMPTING TO USE THIS PRODUCT.

A. This 3 year limited warranty applies to repair or replacement of product found to be defective in material or workmanship. This warranty does not apply to damage resulting from commercial, abusive, unreasonable use or supplemental damage. Defects that are the result of normal wear and tear will not be considered manufacturing defects under this warranty. **KAZ IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY.**

Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights which vary from jurisdiction to jurisdiction. This warranty applies only to the original purchaser of this product from the original date of purchase.

B. At its option, Kaz will repair or replace this product if it is found to be defective in material or workmanship.

C. This warranty does not cover damage resulting from any unauthorized attempts to repair or from any use not in accordance with the instruction manual.

D. This warranty does not cover the filters, pre-filters, UV bulbs or other accessories (if included) except for material or workmanship defects.

NOTE: IF YOU EXPERIENCE A PROBLEM, PLEASE CONTACT CONSUMER RELATIONS FIRST OR SEE YOUR WARRANTY. DO NOT RETURN THE PRODUCT TO THE ORIGINAL PLACE OF PURCHASE. DO NOT ATTEMPT TO OPEN THE MOTOR HOUSING YOURSELF, DOING SO MAY VOID YOUR WARRANTY AND CAUSE DAMAGE TO THE PRODUCT OR PERSONAL INJURY.



© 2023 All rights reserved.
Kaz USA, Inc., a Helen of Troy Company
400 Donald Lynch Blvd., Suite 300, Marlborough, MA 01752

Made and printed in China.

www.VicksHumidifiers.com

Certain trademarks used under license from The Procter & Gamble Company or its affiliates.

For Responsible recycling, please visit:

RECYCLE  NATION

www.RecycleNation.com